

# CARING

FOR YOUR GERIATRIC RESIDENT:

*In-Services Based  
on HCFA's  
Resident  
Assessment  
Instrument  
MDS 2.0 Manual*



# **Caring For Your Geriatric Resident:**

## **Guidelines Based on HCFA's Resident Assessment Instrument MDS 2.0 Manual**

### **Contributor**

**Katherine Vaughn, RN, BSN  
Clinical Instructor, Education Department  
Cookeville Regional Medical Center**

**The publisher gratefully acknowledges the contributions  
of the following individuals who reviewed this material:**

**Catherine Van Son, RN, MSN  
Oregon Geriatric Education Center  
Oregon Health Sciences University  
Portland, Oregon**

**Marianna Kern Grachek, MSN, RN, C, NHA  
Lombard, Illinois**

**Paula S. Ayers, RN, BSN, MS  
Grand Junction, Colorado**

## NOTICE TO THE READER

Though the guidelines contained in this text are based on consultations with healthcare professionals, they should not be considered absolute recommendations. The instructor and readers should follow employer, local, state, and federal guidelines concerning healthcare practices. These guidelines change, and it is the reader's responsibility to be aware of these changes and of the policies and procedures of her or his healthcare facility/agency.

The publisher, author, editors, and reviewers cannot accept any responsibility for errors or omissions or for any consequences from application of the information in this book and make no warranty, express or implied, with respect to the contents of this book.

Publisher does not warrant or guarantee any of the products described herein or perform any analysis in connection with any of the product information contained herein.

## CREDITS

Contributor: Katherine Vaughn  
Development Editor: Susan Alvare  
Copy Editor: Kristin Jandackova  
Composition: Susan Alvare  
Illustration: Thaddeus Castillo

ISBN 1-888343-35-4

©2000 Hartman Publishing, Inc. All rights reserved.  
Limited permission to photocopy the labeled handouts in this text is granted to direct purchasers of this book from the publisher. **Copies can only be made for employees or students at ONE LOCATION of a multi-site employer or school.** No other part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher.

# Table of Contents

<b>FYI</b>	<b>5</b>	<b>4: Describe ways to deal with residents who wander, yell, and exhibit other disruptive behavior as a result of dementia</b>	<b>38</b>
<b>Introduction and Assessment</b>	<b>7</b>	<b>Handouts:</b>	
Assessment A (8)		Residents Who Resist Care (40)	
Assessment A Answer Key (9)		Residents Who Wander (41)	
Note-Taking Worksheet (10)		<b>Transparencies:</b>	
Key Terms (18)		Residents Who Resist Care (42)	
<b>1: Discuss HCFA's Minimum Data Set (MDS) manual including its purpose and how it is used</b>	<b>20</b>	Residents Who Wander (43)	
<b>Handout:</b>		Residents Who Yell Disruptively (44)	
Resident Assessment Protocol Summary (21)		Residents Experiencing Delusions/Hallucinations (45)	
<b>Transparency:</b>			
HCFA's MDS Assessment (22)			
<b>2: Name the five levels of Maslow's Hierarchy of Needs and describe the normal physical changes that occur during the aging process</b>	<b>23</b>	<b>5: Name three common causes of impaired vision in the elderly</b>	<b>46</b>
<b>Handouts:</b>		<b>Handout:</b>	
Maslow's Hierarchy of Needs (25)		Causes and Types of Vision Impairment (48)	
Physical Changes During the Aging Process (26)		<b>Transparency:</b>	
<b>Transparencies:</b>		Symptoms of Vision Impairment (49)	
Maslow's Hierarchy of Needs (27)			
Physical Changes During the Aging Process (28)			
<b>3: Discuss the differences between delirium, dementia, and forgetfulness, and describe the signs and symptoms for each stage of Alzheimer's disease</b>	<b>29</b>	<b>6: List four ways to facilitate communication with the elderly resident</b>	<b>50</b>
<b>Handouts:</b>		<b>Handout:</b>	
Delirium (31)		Communication (52)	
Dementia (32)		Communication Techniques (53)	
Alzheimer's Disease (33)		<b>Transparency:</b>	
<b>Transparencies:</b>		Communication Techniques (54)	
Delirium (34)			
Dementia (35)			
Alzheimer's Disease (36)			
Forgetfulness (37)			
		<b>7: Name three complications frequently related to inactivity in the elderly</b>	<b>55</b>
		<b>Handout:</b>	
		Complications Associated With Inactivity (57)	
		<b>Transparency:</b>	
		ADLs/Rehab Potential (58)	
		<b>8: List eight possible causes of urinary incontinence and explain why long-term indwelling catheters are undesirable</b>	<b>59</b>
		<b>Transparencies:</b>	
		Causes of Urinary Incontinence (61)	
		Types of Urinary Incontinence (62)	
		Indications for Indwelling Catheter (63)	

<b>9: Name three signs/symptoms of depression</b>	<b>64</b>	<b>Transparencies:</b> Risk Factors (90) Pressure Points (91) Interventions (92)	
<b>Handout:</b> Signs of Depression (65)			
<b>10: List five possible causes of angry, agitated behavior and describe ways to effectively deal with this behavior</b>	<b>66</b>	<b>15: Name two possible harmful side effects related to the use of psychotropic medications</b>	<b>93</b>
<b>Handouts:</b> Possible Causes of Agitated Behavior (69) How to Respond to Agitated Behavior (70) Music Therapy (71)		<b>Transparency:</b> Psychotropic Medications (95)	
<b>Transparencies:</b> Key Points About Agitated Behavior (72) Possible Causes of Agitated Behavior (73) Another Approach to the Angry Resident (74)		<b>16: List three alternatives to restraining a resident</b>	<b>96</b>
<b>11: Describe three common factors that contribute to falls in the geriatric resident</b>	<b>75</b>	<b>Handouts:</b> Restraints in Long-Term Care (98) Restraint Alternatives (99)	
<b>Transparency:</b> Who's at Risk for Falls? (76)		<b>Transparencies:</b> Reasons Cited for Restraint Use (100) Pros and Cons of Restraint Use (101)	
<b>12: List three indications that a resident is at risk for malnutrition or dehydration</b>	<b>77</b>	<b>17: Discuss ways in which you can help meet the physical, emotional, and spiritual needs of the dying resident</b>	<b>102</b>
<b>Handout:</b> Factors That May Lead to Malnutrition (80)		<b>Handouts:</b> Needs of the Dying Resident (104) The Dying Person's Bill of Rights (105)	
<b>Transparencies:</b> Feeding Tube Complications (81) Signs/Symptoms of Dehydration (82) Results of Dehydration (83)		<b>Transparency:</b> Needs of the Dying Resident (106)	
<b>13: List three indications that a resident needs a dental consult</b>	<b>84</b>	<b>Closing and Assessment</b>	<b>107</b>
<b>Transparencies:</b> At Risk for Dental Problems (85) Suspect a Problem if You Notice...(86)		<b>Handouts:</b> Assessment B (108) Assessment B Answer Key (110)	
<b>14: List three interventions for preventing pressure ulcers</b>	<b>87</b>	<b>References</b>	<b>111</b>
<b>Handout:</b> Venous vs. Arterial Ulcers (89)		<b>In-Service Evaluation Form</b>	<b>112</b>
		<b>Certificate of Completion</b>	<b>113</b>
		<b>Record-Keeping Form</b>	<b>114</b>
		<b>For More Information</b>	<b>115</b>

The geriatric population (those 85 years old and older) is the fastest growing segment of our population. In 1960, there were approximately 3,000 people over 100 years old in the United States. Today, there are about 60,000 people over the age of 100! The Baby Boomers are beginning to age. Our country's relatively high level of quality health care has improved longevity. Today's health care providers need to be prepared to care for this fast-growing population.

In 1990, the Health Care Financing Administration (HCFA) published the Resident Assessment Instrument (RAI) User's Manual for use by Long-Term Care (LTC) facilities. The RAI tool consists of three components: the Minimum Data Set (MDS), the Resident Assessment Protocols (RAPs), and the Utilization Guidelines (check to see if there are state-specific requirements for your area). All three components are covered in detail in the latest version of the RAI, the MDS 2.0. The purpose of the manual is "to facilitate accurate and effective resident assessment practices in long-term care facilities." The tool helps staff gather data on a resident's strengths and needs "which must be addressed in an individualized care plan." HCFA further states, "As the process of problem identification is integrated with sound clinical interventions, the care plan becomes each resident's unique path toward achieving or maintaining his or her highest practicable level of well-being."

This in-service is intended to help LTC nursing assistants better care for residents based on the MDS guidelines. Each learning objective corresponds with one of the

eighteen RAPs (categories) with an added section on the needs of the dying resident. (Note: In this in-service, their psychosocial well-being, mood state, activities, and feeding tube categories are covered under various other RAP topics.)

The standards of care presented in the in-service apply to home health aides as well. While nursing assistants do not document on the RAI tool itself, their input is invaluable to the members of the care plan team who do assess, plan, and document care. The MDS cannot be completed accurately without input from the nursing assistant.

Different LTC facilities assign varying tasks and responsibilities to nursing assistants. Some of the information included in the in-service may not apply to your organization. For example, your facility may not feel it necessary to cover psychotropic medications; however, this section has been included in an attempt to raise awareness and to further educate nursing assistants. Increased knowledge tends to yield increased understanding, cooperation, teamwork, and, ultimately, better care. You may find it helpful to augment some or all of the learning objectives with the corresponding section of the MDS manual.

In recent years, much has been learned about caring for the elderly. There is much more to be discovered. HCFA, clinicians and researchers will continue to evaluate and fine-tune the delivery of LTC services to "incorporate state-of-the-art changes in clinical practice and assessment methodologies, as well as accommodate the

changing needs of the nursing home population.”

Please note that limited permission is granted to photocopy the handouts for use at the site originally purchasing this in-service. Photocopying other parts of this in-service, including the lesson plan, is expressly prohibited.

To use the handouts, photocopy the number needed for your group. Consider using different colors of paper to organize the different handouts or to make some stand out.

Convert transparency masters to acetates for use with an overhead projector. You can do this by purchasing transparency film at an office supply store and photocopying the transparency masters onto the acetates, or you can have a copy company do it for you. If overhead projection is not convenient for your presentation area, you may wish to copy the information from the transparency masters onto a chalkboard or flip chart.

We hope you find this in-service helpful. And, as always, we welcome your comments and suggestions.

**Happy Teaching!**

**Please read.**

You may notice that we are employing a new design in this SourceBook. We have replaced certain written instructions with symbols to help guide you through the Lesson Plans. Following is an explanation of the new symbols.



= estimated time it will take you to complete a Lesson Plan



= suggested tools to help you teach that Learning Objective



= distribute the indicated Handout



= display the indicated Transparency

# Introduction and Assessment



15-20 minutes



Handout Intro-1 Assessment A  
Handout Intro-2 Assessment A Answer Key  
Handout Intro-3 Note-Taking Worksheet  
Handout Intro-4 Key Terms

---



## Handout Intro-1 Assessment A

To reduce test anxiety, explain to participants that the pre-assessment serves to give them an idea of what will be covered in the in-service and to stimulate thinking. Also, emphasize that the pre-test score will not be used against them, but rather it will be used to help the instructor better meet participant needs by focusing on areas that may not be well understood.

Allow participants enough time to finish the assessment. Go over the answers and discuss.



## Handout Intro-3 Note-Taking Worksheet

Tell participants to take notes on the worksheet during all the lectures and discussion. This will help them learn and retain the information and provide them with a review of the in-service later on.



## Handout Intro-4 Key Terms

Tell participants to keep this handout and read over it.

---

# Assessment A

Name: \_\_\_\_\_ Date: \_\_\_\_\_

**True or False.** For each of the following statements, write “T” for true or “F” for false.

1. \_\_\_ HCFA’s Minimum Data Set (MDS) manual was developed by the federal government to help long-term care facilities deliver quality care to residents.
2. \_\_\_ Developing thicker, tougher skin is a normal part of aging and is frequently seen in elderly residents.
3. \_\_\_ Dementia can be reversed in elderly residents who are motivated to get better.
4. \_\_\_ If a resident’s wandering is harmless, it should be allowed to continue.
5. \_\_\_ Residents with diabetes have a higher risk of developing problems with vision.
6. \_\_\_ Touch, body language, tone of voice, and facial expression are more powerful than words.
7. \_\_\_ If there is a chance your resident could fall, do not allow them to get out of bed.
8. \_\_\_ Urinary incontinence is always incurable in elderly residents.
9. \_\_\_ Insomnia or a change in sleep pattern are signs of depression.
10. \_\_\_ Agitated behavior in the elderly may be caused by tranquilizers or other medications.
11. \_\_\_ The use of trunk restraints can contribute to falls.
12. \_\_\_ Residents who are given a pureed diet are at risk for developing malnutrition.
13. \_\_\_ Constipation and fever can signal dehydration.
14. \_\_\_ Residents with a history of long-time alcohol or tobacco use are not at an increased risk for dental problems.
15. \_\_\_ Proper nutrition and hydration are not as important in preventing pressure ulcers as turning the resident every two hours.
16. \_\_\_ If a resident suddenly becomes combative, you should immediately suggest to the nurse that the resident needs tranquilizing medication.
17. \_\_\_ In order for me to give the best possible care to a dying resident, it is important for me to be aware of my own feelings and attitudes about death.

## Assessment A Answer Key

**1. True.**

**2. False.** The skin becomes thinner with age.

**3. False.** Dementia is a chronic, progressive illness of the brain for which there is no cure.

**4. True.** Many residents wander harmlessly and may even become combative, agitated, or bed bound if forced to stop (as with restraints).

**5. True.** Blindness and impaired vision are often related to diabetes.

**6. True.** It is generally accepted that non-verbal communication is more powerful than words.

**7. False.** A certain amount of risk must be accepted if residents are to be assisted with maintaining or improving ADL function.

**8. False.** Urinary incontinence is curable in many elderly residents.

**9. True.**

**10. True.** Many, many medications can cause agitation, including the medications used to treat agitation.

**11. True.** Trunk restraints can contribute to other injuries as well such as strangulation and broken bones.

**12. True.** Any mechanically altered diet contributes to this risk.

**13. True.** These signs should always be reported.

**14. False.**

**15. False.** Good nutrition and hydration are essential to help prevent and heal existing pressure ulcers.

**16. False.** Alternative treatment should be explored first, with the focus on determining the cause of the behavior, especially if the behavior is new or sudden.

**17. True.** While we should never force our own feelings on the resident, it is important to be aware of our attitudes and beliefs.

# Note-Taking Worksheet

Name: \_\_\_\_\_ Date: \_\_\_\_\_

## 1-1 Name three components of HCFA's MDS assessment tool.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

## 2-1 List five needs in Maslow's Hierarchy of Needs theory.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

## 2-2 Describe two normal physical changes that occur during the aging process in each of the following body systems.

### Integumentary

1. \_\_\_\_\_
2. \_\_\_\_\_

### Musculoskeletal

1. \_\_\_\_\_
2. \_\_\_\_\_

### Nervous

1. \_\_\_\_\_
2. \_\_\_\_\_

### Circulatory

1. \_\_\_\_\_
2. \_\_\_\_\_

### Respiratory

1. \_\_\_\_\_
2. \_\_\_\_\_

### Digestive

1. \_\_\_\_\_
2. \_\_\_\_\_

### Urinary

1. \_\_\_\_\_
2. \_\_\_\_\_

## 3-1 Define delirium and list nine possible causes.

Delirium is \_\_\_\_\_

Causes include:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_